

TakeOff™

Pipe Support Block



Versatile & Effective

Supports gas/plumbing piping, condensate/refrigeration lines, conduit, cable, and lightweight mechanical equipment

Reduces penetrations in roofing membrane. Allows for water pass-through and keeps pipe off the roof surface

Steel strut or the GridIron™ support can be attached to top where 6" height is mandatory (refer to local code).

Durable

U.V. stabilized HDPE material supports loads up to 200 lbs. in temperatures from -50° F to 175° F.

Supports loads up to 250 lbs. when used with metal strut

 **Made in the USA**



Supply | Drainage | **Support** | Specialties

www.siouxchief.com


TAKE THE FIELD.



Top surface allows for attachment of various types of pipe/tube clamps or support accessories (see A / B / C, below)

Injection-molded HDPE is UV-stabilized, and contains recycled material

Wide base flange increases surface area for better load distribution.



- A:** Unique openings (2) allow use of inverted TD+ Universal Clamp (550-2111) to fasten 1/2" CTS -2" IPS
B: Slots (4) for stainless steel bands or zip ties | **C:** Holes (4) for 3/8" thread rod with hex nut sockets on underside
D: Center rectangular recess is designed to securely mount a 541 Series top plate connector

Additional Features




Lightweight & Stackable

Easy to carry and transport on the job site.

The 571 GridIron™ is designed to work with a multitude of pipe/tube fasteners













Provides 6" height when required



Additional Height

For additional height, strut can be attached to the TakeOff™, or use the GridIron™ ABS spacer/support block

Typical Installations



Other Clamps/Brackets for Use with the TakeOff™ ...



571
GridIron™ Spacer Block



524/528 Series
Hanger Strap



523 Series
SaddleUp™ Clamp



516 Series
Split-Ring Hangers



501/502 Series
Tube Strap



517 Series
Strut Clamps



523 Series
PowerBar™ Mini Strut System



543-21



543-21R



541-GB



550-2111



550-2112

» Buying Information

ITEM NO.	DESCRIPTION	MIN. QTY.	CASE QTY.
TAKEOFF™ PIPE SUPPORT BLOCK			
543-21	TakeOff™ Pipe Support Block	8	8
ACCESSORIES			
543-21R	Roller Support Assembly Kit for TakeOff - Supports up to 4" pipe. For 3/8" threaded rod	8	8
550-2111	TD+™ Universal Clamp with single bridge - Clamps 1/2" CTS - 2" IPS. Attaches directly to TakeOff block	50	50
550-2112	TD+™ Universal Clamp with two bridges - Clamps 1/2" CTS - 2" IPS. Attaches directly to TakeOff block	1	25
541-CB	Copper-Plated Top Plate Connector - For 3/8" threaded rod. Use with 516 Series split-ring hangers	25	25
541-GB	Galvanized Top Plate Connector - For 3/8" threaded rod. Use with 516 Series split-ring hangers	25	25
571	GridIron™ ABS spacer/support block	8	8