

Water Heater Accessories



Saves Time - Reduces Liability

Solid brass components replace multiple fittings and solder joints.

Consistent, repeatable installations are clean, solid, and professional-looking

Quality Materials

Brass material is resistant to dezincification and stress-corrosion cracking.

FIP swivel threads with EPDM sealing gaskets.

Full-port ball valves with large, anodized aluminum handles are easy to operate



Cross Adapters

687-3SFMH



3/4" FIP Swivel¹ x 3/4" FIP
x 3/4" MIP x 3/4" MHT (cap)

687-3SMFH



3/4" FIP Swivel¹ x 3/4" MIP
x 3/4" MHT (cap) x 3/4" FIP

687-3SMMH




3/4" FIP Swivel¹ x 3/4" MIP
x 3/4" MIP (cap) x 3/4" MHT (cap)

Cross Adapter Kits

687-3SMKIT2 (shown)

Kit includes: 648-3SM (2), 687-3SMMH, 687-3SMFH, and 687-PVLV



FIP Swivel fittings¹ allow you to position the tank, recirculation line, and drain port in any orientation desired

Easy-to-Grip, anodized aluminum T-handle

MHT connections include brass cap with gasket

600 WOG

Full-Port valves ensure code compliance at the water heater and any other required locations

All MIP connections are designed to accept check valve assemblies (687-3CVKIT) as needed.

Brass material is resistant to dezincification and stress-corrosion cracking



¹ Do Not use pipe dope or thread tape on FIP swivel threads

Tee Adapters

687-T3MMS



3/4" MIP x 3/4" MIP
x 3/4" FIP Swivel¹

687-T3MSM



3/4" MIP
x 3/4" FIP Swivel¹
x 3/4" MIP

687-T3MSS



3/4" MIP
x 3/4" FIP Swivel¹
x 3/4" FIP Swivel¹

687-T3SSM



3/4" FIP Swivel¹
x 3/4" FIP Swivel¹
x 3/4" MIP



687-3SMKIT2 is perfect for tankless WH installations. Crosses provide convenient hose connections for delime/descale process.



Tee adapters make connecting expansion tanks fast and easy. The TankBracket™ (598-023 shown) supports units directly on heater.

600 WOG Ball Valves

648-3SM



3/4" FIP Swivel¹
x 3/4" MIP

648-3SW



3/4" FIP Swivel¹
x 3/4" F1960 PEX

648-3SX



3/4" FIP Swivel¹
x 3/4" F1807 PEX



¹ Do Not use pipe dope or thread tape on FIP swivel threads

Other Water Heater Accessories *available from Sioux Chief...*

Water Heater Connectors



A full line of connectors to suit *any* application

Tube Insulation

Closed-cell foam insulation in a wide range of IDs and wall thickness



TankBracket™

Rock-solid expansion tank support system
For wall or water heater mount



Thermal Expansion Relief Valves

Full-port ball valves comply with model code requirements for thermal expansion control



687-3SFMH



687-T3MSM



687-PVLV



687-3SMKIT



648-3SW

» Buying Information

ITEM NO.	DESCRIPTION	MIN. QTY.	CASE QTY.
CROSS ADAPTERS			
687-3SFMH	Brass Cross Adapter - 3/4" FIP Swivel ¹ x 3/4" FIP x 3/4" MIP x 3/4" MHT (with brass cap)	5	25
687-3SMFH	Brass Cross Adapter - 3/4" FIP Swivel ¹ x 3/4" MIP x 3/4" FIP x 3/4" MHT (with brass cap)	5	25
687-3SMMH	Brass Cross Adapter - 3/4" FIP Swivel ¹ x 3/4" MIP x 3/4" MIP (with brass cap) x 3/4" MHT (with brass cap)	5	25
CROSS ADAPTER KIT			
687-3SMKIT	Cross Adapter Kit - Includes: 648-3SM, 687-3SMFH, 687-3SMMH	5	25
687-3SMKIT2	Cross Adapter Kit - Includes: 648-3SM (2pcs), 687-3SMFH, 687-3SMMH, 687-PVLV	5	20
687-PVLV	Pressure-Relief Valve - 3/4" MIP x 3/4" FIP	5	25
TEE ADAPTERS			
687-T3MMS	Brass Tee Adapter - 3/4" MIP x 3/4" MIP x 3/4" FIP Swivel ¹	5	25
687-T3MSM	Brass Tee Adapter - 3/4" MIP x 3/4" FIP Swivel ¹ x 3/4" MIP	5	25
687-T3MSS	Brass Tee Adapter - 3/4" MIP x 3/4" FIP Swivel ¹ x 3/4" FIP Swivel ¹	5	25
687-T3SSM	Brass Tee Adapter - 3/4" FIP Swivel ¹ x 3/4" FIP Swivel ¹ x 3/4" MIP	5	25
BALL VALVES			
648-3SM	600 WOG Brass Ball Valve - 3/4" FIP Swivel ¹ x 3/4" MIP	5	25
648-3SW	600 WOG Brass Ball Valve - 3/4" FIP Swivel ¹ x 3/4" F1960 PEX	5	25
648-3SX	600 WOG Brass Ball Valve - 3/4" FIP Swivel ¹ x 3/4" F1807 PEX	5	25
CHECK VALVE KIT			
687-3CVKIT	Check Valve Kit - Includes two check valves for installation into ID of MIP cross connections	1	400

1. Do Not use pipe dope or thread tape on FIP swivel threads